## In the Claims

## 1-26 (Cancelled)

4

27. (Previously Presented) A catheter tube hub having a lumen therethrough and a proximal and distal portion,

the proximal portion being configured as a connector; the distal portion being configured as a strain relief; and the lumen being configured to receive the catheter tube.

- 28. (Previously Presented) The hub of claim 27, wherein the average thickness of the proximal portion is thicker than the average thickness of the distal portion.
- 29. (Previously Presented) The hub of claim 27, wherein the thickness of the distal portion generally decreases distally.
- 30. (Withdrawn) The hub of claim 27, wherein a plurality of grooves extend into the passage wall generally transversely toward the passage.
- 31. (Withdrawn) The hub of claim 27, wherein the width of the grooves increases distally.

32. (Withdrawn) The hub of claim 27, wherein the thickness between the grooves decreases distally.

33. (Withdrawn) The hub of claim 27, wherein the grooves extend through the wall into the passage.

34. (Withdrawn) The hub of claim 30, wherein the grooves are disposed in a plurality of sets, each set including two grooves, the two grooves within each set being disposed generally within the same plane to define a transverse hinge in the strain relief.

35. (Previously Presented) The hub of claim 29, wherein the strain relief includes a generally helical portion extending from proximate the proximal end of the distal portion to proximate the distal end of the distal portion.

36. (Previously Presented) The hub of claim 27, wherein the connector is a threaded connector.

37. (Previously Presented) The hub of claim 27, wherein the distal portion includes transversely extending wings

1

38. (Previously Presented) The hub of claim 27, wherein the hub is made of nylon.

39. (Previously Presented) The hub of claim 27, wherein the hub is made of PEBA.

40. (Previously Presented) The hub of claim 27, wherein a lumen extends at an angle from the proximal portion of the hub and connects with the lumen therein.